INDEX TO AUTHORS.

A

Adeline, Sister Mary, Cerecedo, Leopold R., and **Sherwin, Carl P.** Detoxication of aromatic cyanides, 461

Austin, J. Harold, Sunderman, F. W., and **Camack, J. G.** The osmotic pressure of hemoglobin and of base bound by hemoglobin, 427

B

Bass, Lawrence W. See LEVENE and BASS, 211

—. See LEVENE, BASS, and SIMMS, 229

—. See LEVENE, SIMMS, and BASS, 243

Beard, Howard H., and **Jersey, Vernon.** The specific rotatory power of glucose-insulin solutions in contact with muscle tissue *in vitro*, 167

Becker, J. Ernestine. See MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY, 437

Behre, Jeanette Allen, and **Benedict, Stanley R.** A colorimetric method for the determination of acetone bodies in blood and urine, 487

Benedict, Stanley R. See BEHRE and BENEDICT, 487

Benninghoven, C. D. See FOSTER and BENNINGHOVEN, 285

Bergeim, Olaf. Intestinal chemistry. IV. A method for the study of food utilization or digestibility, 29

—. V. Carbohydrates and calcium and phosphorus absorption, 35

—. VI. A method for the study of absorption in different parts of the gastro-intestinal tract, 47

—. VII. The absorption of calcium and phosphorus in the small and large intestines, 51

Boyden, Edward A. See FISKE and BOYDEN, 535

Brand, Erwin, and **Sandberg, Marta.** The lability of the sulfur in cystine derivatives and its possible bearing on the constitution of insulin, 381

Burton, G. W. See SHERMAN and BURTON, 639

C

Camack, J. G. See AUSTIN, SUNDERMAN, and CAMACK, 427

Carpenter, Thorne M., and **Fox, Edward L.** A gas analysis apparatus modified for the determination of methane in metabolism experiments, 115

XUM

Cerecedo, Leopold R. See ADELINE, CERECEDO, and SHERWIN, 461

Chaikoff, I. L. See GEE and CHAIKOFF, 151

Chou, T. Q. The preparation and properties of ephedrine and its salts, 109

Christman, A. A. A method for the determination of allantoin in rabbit urine, 173

Coghill, Robert D. The chemical study of bacteria. XII. The albumin-globulin fraction of the tubercle bacillus, 439

—. XIII. The alkali-soluble protein of the tubercle bacillus, 449

Cori, Carl F. The fate of sugar in the animal body. III. The rate of glycogen formation in the liver of normal and insulinized rats during the absorption of glucose, fructose, and galactose, 577

— and **Cori, Gerty T.** The fate of sugar in the animal body. II. The relation between sugar oxidation and glycogen formation in normal and insulinized rats during the absorption of glucose, 557

Cori, Gerty T. See CORI and CORI, 557

Corley, Ralph C. Amino acid catabolism. I. The fate of γ-amino butyric acid and δ-amino valeric acid in the phlorhizinized dog, 99

—. Pentose metabolism. I. The disposal of intravenously administered xylose in the rabbit, 521

D

Dailey, Mary Elizabeth. See FREMONT-SMITH and DAILEY, 779

Davenport, H. A. On liver amylase and its probable rôle in the regulation of blood sugar, 625

De Toni, G. M. The colorimetric estimation of cholesterol and lecithin in blood in connection with Folin and Wu's system of blood analysis, 207

Dittmar, Harry R. See WALTON and DITTMAR, 713

Dunn, Max S. Basic proteins. I. The nitrogen distribution and the percentages of some amino acids in the protamine of the sardine, *Sardinia cærulea*, 697

F

Fairhall, Lawrence T. The nutritive value of inorganic substances. I. A study of the normal zinc metabolism with particular reference to the calcium metabolism, 495

Fearon, William Robert. The significance of cyanic acid in the urea-urease system. A color test for cyanic acid, 785

Fiske, Cyrus H., and Boyden, Edward A. Nitrogen metabolism in the chick embryo, 535

Folin, Otto, and Svedberg, Andrea. The sugar in urine and in blood, 405

Foster, G. L., and Benninghoven, C. D. On fat and glycogen in the tissues in

experimentally induced obesity in the rat, 285
Fox, Edward L. See CARPENTER and FOX, 115
Fred, E. B. See PETERSON, FRED, and MARTEN, 309
Fremont-Smith, Frank, and **Dailey, Mary Elizabeth.** Studies in the distribution of chloride and protein between plasma and synovial fluid, 779

G

Gaebler, Oliver Henry, and **Keltch, Anna K.** On the metabolism of hydantoins and hydantoic acids, 763
Gee, A. H., and **Chaikoff, I. L.** The identification of acetaldehyde in normal blood and its quantitative study in the blood of normal and diabetic dogs, 151
Goebel, Walther F. See HEIDELBERGER and GOEBEL, 613
Gortner, Ross Aiken, and **Hoffman, Walter F.** On the presence of amines in the distillate from Kjeldahl-Gunning nitrogen determinations. Preliminary paper, 457
Gottschalk, Alfred. See LUNDSGAARD, HOLBØLL, and GOTTSCHALK, 79, 83, 89
Gustus, Edwin L. See JACOBS, HOFFMANN, and GUSTUS, 1

H

Harrow, Benjamin, and **Sherwin, Carl P.** Synthesis of amino acids in the animal body. IV. Synthesis of histidine, 683
Hart, Merrill C., and **Heyl, Frederick W.** The chemical investigations of corpus luteum. VI. The lipoids of the ether extract, 663
— and —. VII. The cephalin fraction, 675
Heidelberger, Michael, and **Goebel, Walther F.** The soluble specific substance of pneumococcus. IV. On the nature of the specific polysaccharide of Type III pneumococcus, 613
Hess, Alfred F., Weinstock, Mildred, and **Sherman, Elizabeth.** The antirachitic value of irradiated cholesterol and phytosterol. VI. A separation into an active and an inactive fraction, 123
Heyl, Frederick W. See HART and HEYL, 663, 675
Hoffman, Walter F. See GORTNER and HOFFMAN, 457
Hoffmann, Alexander. See JACOBS, HOFFMANN, and GUSTUS, 1
Holbøll, Svend Aage. See LUNDSGAARD and HOLBØLL, 71
—. See LUNDSGAARD, HOLBØLL, and GOTTSCHALK, 79, 83, 89
Horvath, A. A. Ammonia and blood sugar, 289

J

Jacobs, Walter A., Hoffmann, Alexander, and **Gustus, Edwin L.** The association of the double bond with the lactone group in the cardiac aglucones, 1

XUM

Jersey, Vernon. See BEARD and JERSEY, 167
Jones, James H. The effect of the administration of cod liver oil upon thyroparathyroidectomized dogs, 647

K

Keltch, Anna K. See GAEBLER and KELTCH, 763

L

Lenstrup, Ejnar. The phosphorus content of human milk and cow's milk, 193
Levene, P. A., and **Bass, Lawrence W.** The configurational relationships of dialkylactic acids, 211
—, —, and **Simms, H. S.** The ionization of pyrimidines in relation to the structure of pyrimidine nucleosides, 229
— and **Meyer, G. M.** Diacetone glucose. III. Methylated methyl glucosides prepared from monoacetone glucose, 343
— and **Mikeska, L. A.** On the oxidation of mercaptans and thio acids to the corresponding sulfonic acids, 365
— and —. Substitution by halogen of the hydroxyl in secondary alcohols, 355
— and **Pfaltz, Mimosa H.** Studies on racemization. IV. Action of alkali on ketopiperazines and on peptides, 219
— and **Simms, H. S.** Nucleic acid structure as determined by electrometric titration data, 327
Levene, P. A., Simms, H. S., and **Bass, Lawrence W.** The effect of ionization upon optical rotation of nucleic acid derivatives, 243
—, —, and **Pfaltz, Mimosa H.** The relation of chemical structure to the rate of hydrolysis of peptides. III. Enzyme hydrolysis of dipeptides and tripeptides, 253
—. See SIMMS and LEVENE, 319
Lewis, Julian H. Alcaptonuria in a rabbit, 659
Looney, Joseph M. Blood changes in acute mercuric chloride poisoning, 513
Lundsgaard, Christen, and **Holbøll, Svend Aage.** Studies in carbohydrate metabolism. IX. Continued investigations into the influence of insulin and muscle tissue on glucose *in vitro*, 71
—, —, and **Gottschalk, Alfred.** Studies in carbohydrate metabolism. X. Investigations into the occurrence of insulin complement in the muscles of warm blooded and cold blooded animals, 79
—, —, and —. XI. Investigations into the occurrence of new-glucose in the course of the fermentation of α,β-glucose, 83
—, —, and —. XII. Investigations into the properties of insulin complement, 89

M

Marten, E. A. See PETERSON, FRED, and MARTEN, 309

McClendon, J. F., Russell, Sidney, and **Tracy, Edward.** The determination of hydrogen ions in the blood with the aid of the Duboscq colorimeter and ortho-chrom-T or para-nitrophenol, 705

McCollum, E. V., Simmonds, Nina, Becker, J. Ernestine, and **Shipley, P. G.** Studies on experimental rickets. XXVII. Variation of vitamin D content of butter fat as a factor in the development of rickets induced by diets suitable for preparing rats for the line test, 437

McInerney, T. J. See SHARP and MCINERNEY, 729

McKee, Mary C., and **Smith, Arthur H.** Some nitrogenous constituents of the cauliflower bud. I. Protein fractions, 273

Meyer, G. M. See LEVENE and MEYER, 343

Mikeska, L. A. See LEVENE and MIKESKA, 355, 365

Miller, Harry G. Potassium in animal nutrition. IV. Potassium requirements for normal growth and maintenance, 587

—. V. Influence of potassium on urinary and fecal excretion of sodium, chlorine, calcium, and phosphorus, 593

—. Sodium deficiency in a corn ration, 759

Mitchell, Helen S., and **Schmidt, Lola.** The relation of iron from various sources to nutritional anemia, 471

P

Peterson, W. H., Fred, E. B., and **Marten, E. A.** The effect of molecular complexity on the end-products formed by *Clostridium thermocellum*, 309

Pfaltz, Mimosa H. See LEVENE and PFALTZ, 219

—. See LEVENE, SIMMS, and PFALTZ, 253

Q

Quick, Armand J. On the origin of glycuronic acid in the organism, 397

—. The production of conjugated glycuronic acids in depancreatized dogs, 59

R

Rosenthal, Sanford M. The liberation of adsorbed substances from the proteins. II. The effect of addition of sodium oleate to whole blood upon the non-protein nitrogen in blood filtrates, 129

Russell, Sidney. See MCCLENDON, RUSSELL, and TRACY, 705

S

Sandberg, Marta. See BRAND and SANDBERG, 381

Schmidt, Lola. See MITCHELL and SCHMIDT, 471

Seibert, Florence B. A critical evaluation of Hahn's quantitative method for determining protein and proteose, 265

Sharp, Paul Francis, and **McInerney, T. J.** The colori-

XUM

metric determination of the hydrogen ion concentration of milk, whey, and cream, 729

Sherman, Elizabeth. See HESS, WEINSTOCK, and SHERMAN, 123

Sherman, H. C., and Burton, G. W. Effect of hydrogen ion concentration upon the rate of destruction of vitamin B upon heating, 639

Sherwin, Carl P. See ADELINE, CERECEDO, and SHERWIN, 461

—. See HARROW and SHERWIN, 683

Shipley, P. G. See MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY, 437

Simmonds, Nina. See MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY, 437

Simms, H. S., and Levene, P. A. Graphical interpretation of electrometric titration data by use of comparison curves, 319

—. See LEVENE, BASS, and SIMMS, 229

—. See LEVENE and SIMMS, 327

—. See LEVENE, SIMMS, and BASS, 243

—. See LEVENE, SIMMS, and PFALTZ, 253

Smith, Arthur H. See MCKEE and SMITH, 273

Somogyi, Michael. Notes on sugar determination, 599

Speakman, Horace B. The physiological significance of deamination in relation to glucose oxidation, 135

Sumner, James B. Note. The recrystallization of urease, 97

Sunderman, F. W. See AUSTIN, SUNDERMAN, and CAMACK, 427

Supniewski, J. V. The influence of insulin on the acetaldehyde formation in the body of animals, 13

Svedberg, Andrea. See FOLIN and SVEDBERG, 405

T

Thompson, J. W., and Voegtlin, Carl. Glutathione content of normal animals, 793

—. See VOEGTLIN and THOMPSON, 801

Tracy, Edward. See MCCLENDON, RUSSELL, and TRACY, 705

V

Voegtlin, Carl, and Thompson, J. W. Glutathione content of tumor animals, 801

—. See THOMPSON and VOEGTLIN, 793

W

Walton, James H., and Dittmar, Harry R. The hydrolysis of corn-starch by commercial pancreatin, 713

Weinstock, Mildred. See HESS, WEINSTOCK, and SHERMAN, 123

Wu, Hsien. Note on Donnan equilibrium and osmotic pressure relationship between the cells and the serum, 203

Y

Yoder, Lester. The relation between peroxidation and antirachitic vitamin, 297

INDEX TO SUBJECTS.

A

Absorption:
Calcium, and carbohydrates (BERGEIM) 35
—, small and large intestine (BERGEIM) 51
Fructose, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
Galactose, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
Gastrointestinal tract (BERGEIM) 47
Glucose, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
—, sugar oxidation and glycogen formation in normal and insulinized rats, relation (CORI and CORI) 557
Phosphorus, and carbohydrates (BERGEIM) 35
—, small and large intestine (BERGEIM) 51
Acetaldehyde:
Blood, diabetic, quantitative study (GEE and CHAIKOFF) 151
—, normal, identification and quantitative study (GEE and CHAIKOFF) 151
Insulin influence on formation in animal body (SUPNIEWSKI) 13
Acetone:
Bodies, blood and urine, colorimetric determination (BEHRE and BENEDICT) 487
Aglucone:
Cardiac, association of double bond with lactone group (JACOBS, HOFFMANN, and GUSTUS) 1
Albumin:
-globulin fraction, tubercle bacillus (COGHILL) 439
Alcaptonuria:
Rabbit (LEWIS) 659
Alcohol:
Secondary, hydroxyl, substitution by halogen (LEVENE and MIKESKA) 355
Alkali:
Ketopiperazines, action (LEVENE and PFALTZ) 219
Peptides, action (LEVENE and PFALTZ) 219
-soluble protein, tubercle bacillus (COGHILL) 449
Allantoin:
Urine, determination (CHRISTMAN) 173

XUM

Amine:
Kjeldahl-Gunning nitrogen determinations, presence in distillate (GORTNER and HOFFMAN) 457

Amino acid(s):
Catabolism. I (CORLEY) 99
Protamine of *Sardinia cærulea*, percentages (DUNN) 679
Synthesis in animal body. IV (HARROW and SHERWIN) 683

γ-Amino butyric acid:
Phlorhizinized dog, fate (CORLEY) 99

δ-Amino valeric acid:
Phlorhizinized dog, fate (CORLEY) 99

Ammonia:
Blood sugar, and (HORVATH) 289

Amylase:
Liver, blood sugar regulation, rôle (DAVENPORT) 625

Anemia:
Nutritional, iron, relation (MITCHELL and SCHMIDT) 471

Apparatus:
Gas analysis, methane determination in metabolism experiments (CARPENTER and FOX) 115

Aromatic cyanides:
Detoxication (ADELINE, CERECEDO, and SHERWIN) 461

B

Bacillus:
Tubercle, albumin-globulin fraction (COGHILL) 439

Bacillus—*continued:*
Tubercle, alkali-soluble protein (COGHILL) 449

Bacteria:
Chemical study. XII (COGHILL) 439
— —. XIII (COGHILL) 449

Base:
Hemoglobin-bound, osmotic pressure (AUSTIN, SUNDERMAN, and CAMACK) 427
Proteins, basic. I (DUNN) 679

Blood:
Acetone bodies, colorimetric determination (BEHRE and BENEDICT) 487
Cholesterol, colorimetric estimation, Folin and Wu system of blood analysis (DE TONI) 207
Diabetic, acetaldehyde, quantitative study (GEE and CHAIKOFF) 151
Folin-Wu analysis, cholesterol, colorimetric estimation (DE TONI) 207
— —, lecithin, colorimetric estimation (DE TONI) 207
Hydrogen ions, orthochrom-T and Duboscq colorimeter, determination (MCCLENDON, RUSSELL, and TRACY) 705
— —, para-nitrophenol and Duboscq colorimeter, determination (MCCLENDON, RUSSELL, and TRACY) 705

Blood—*continued:*
Lecithin, colorimetric estimation, Folin and Wu system of blood analysis (De Toni) 207
Mercuric chloride poisoning, acute, changes (Looney) 513
Nitrogen, non-protein, sodium oleate added to whole blood, effect in blood filtrates (Rosenthal) 129
Normal, acetaldehyde identification and quantitative study (Gee and Chaikoff) 151
Sugar (Folin and Svedberg) 405
—, and ammonia (Horvath) 289
—, liver amylase, rôle in regulation (Davenport) 625

Butter fat:
Vitamin D, variation of content, rickets, factor (McCollum, Simmonds, Becker, and Shipley) 437

C

Calcium:
Absorption, and carbohydrates (Bergeim) 35
—, small and large intestine (Bergeim) 51
Metabolism, reference to normal zinc metabolism (Fairhall) 495
Urinary and fecal excretion, potassium influence (Miller) 593

Carbohydrate:
Calcium absorption (Bergeim) 35

Carbohydrate—*continued:*
Metabolism. IX (Lundsgaard and Holbøll) 71
—. X (Lundsgaard, Holbøll, and Gottschalk) 79
—. XI (Lundsgaard, Holbøll, and Gottschalk) 83
—. XII (Lundsgaard, Holbøll, and Gottschalk) 89
Phosphorus absorption (Bergeim) 35

Cardiac:
See Heart.

Catabolism:
Amino acid. I (Corley) 99

Cauliflower:
Nitrogenous constituents of bud. I (McKee and Smith) 273

Cell:
Serum and, Donnan equilibrium and osmotic pressure, relationship between (Wu) 203

Cephalin:
Corpus luteum (Hart and Heyl) 675

Chloride:
Plasma and synovial fluid, distribution of protein and (Fremont-Smith and Dailey) 779

Chlorine:
Urinary and fecal excretion, potassium influence (Miller) 593

Cholesterol:
Blood, colorimetric estimation, Folin and Wu system of blood analysis (De Toni) 207

XUM

Cholesterol—*continued:*
Irradiated, separation into active and inactive fraction (Hess, Weinstock, and Sherman) 123
Irradiation, antirachitic value. VI (Hess, Weinstock, and Sherman) 123
Clostridium thermocellum:
End-products, molecular complexity, effect (Peterson, Fred, and Marten) 309
Cod liver oil:
Thyroparathyroidectomized dogs, effect (Jones) 647
Colorimeter:
Duboscq, and ortho-chrom-T, hydrogen ions in blood, determination (McClendon, Russell, and Tracy) 705
—, — para-nitrophenol, hydrogen ions in blood, determination (McClendon, Russell, and Tracy) 705
Colorimetry:
Acetone bodies in blood and urine, colorimetric method (Behre and Benedict) 487
Blood, acetone bodies, colorimetric determination (Behre and Benedict) 487
Cholesterol, blood, colorimetric estimation, Folin and Wu system of blood analysis (De Toni) 207
Hydrogen ion concentration of milk, whey, and cream (Sharp and McInerney) 729
Colorimetry—*continued:*
Lecithin, blood, colorimetric estimation, Folin and Wu system of blood analysis (De Toni) 207
Urine, acetone bodies, colorimetric determination (Behre and Benedict) 487
Corn:
Ration, sodium deficiency (Miller) 759
Corn-starch:
Hydrolysis by pancreatin (Walton and Dittmar) 713
Corpus luteum:
Cephalin fraction (Hart and Heyl) 675
Chemical investigations. VI (Hart and Heyl) 663
—, —. VII (Hart and Heyl) 675
Lipoids of ether extract (Hart and Heyl) 663
Cream:
Hydrogen ion concentration, colorimetric determination (Sharp and McInerney) 729
Crystallization:
Urease, recrystallization (Sumner) 97
Cyanic acid:
Color test (Fearon) 785
Urea-urease system, significance (Fearon) 785
Cyanides:
Aromatic, detoxication (Adeline, Cerecedo, and Sherwin) 461

Cystine:
Derivatives, sulfur lability, insulin constitution, bearing (BRAND and SANDBERG) 381

D

Deamination:
Glucose oxidation, physiological significance in relation (SPEAKMAN) 135
Detoxication:
Aromatic cyanides (ADELINE, CERECEDO, and SHERWIN) 461
Diabetes:
Acetaldehyde in blood of diabetic dogs, quantitative study (GEE and CHAIKOFF) 151
Diacetone glucose:
III (LEVENE and MEYER) 343
Dialkylacetic acids:
Configurational relationships (LEVENE and BASS) 211
Diet:
Corn, sodium deficiency (MILLER) 759
Line test, vitamin D content of butter fat, variation, factor in rickets (MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 437
Dipeptide:
Hydrolysis, enzyme (LEVENE, SIMMS, and PFALTZ) 253
Donnan equilibrium:
See Equilibrium.
Duboscq:
Colorimeter and orthochrom-T, hydrogen ions in blood, determination (MCCLENDON, RUSSELL, and TRACY) 705
Duboscq—*continued:*
Colorimeter and para-nitrophenol, hydrogen ions in blood, determination (MCCLENDON, RUSSELL, and TRACY) 705

E

Electrometric:
Titration data, graphical interpretation by comparison curves (SIMMS and LEVENE) 319
— —, nucleic acid structure determination (LEVENE and SIMMS) 327
Embryo:
Chick, nitrogen metabolism (FISKE and BOYDEN) 535
End-product:
Clostridium thermocellum, effect of molecular complexity on (PETERSON, FRED, and MARTEN) 309
Enzyme:
Hydrolysis, dipeptides (LEVENE, SIMMS, and PFALTZ) 253
—, tripeptides (LEVENE, SIMMS, and PFALTZ) 253
Ephedrine:
Preparation and properties (CHOU) 109
Salts, preparation and properties (CHOU) 109
Equilibrium:
Donnan, and osmotic pressure relationship between cells and serum (WU) 203

XUM

Ether:
Corpus luteum, ether extract, lipoids (HART and HEYL) 663
Excretion:
Calcium, urine and feces, potassium influence (MILLER) 593
Chlorine, urine and feces, potassium influence (MILLER) 593
Phosphorus, urine and feces, potassium influence (MILLER) 593
Sodium, urine and feces, potassium influence (MILLER) 593

F

Fat:
Tissue, experimentally induced obesity (FOSTER and BENNINGHOVEN) 285
Feces:
Calcium excretion, potassium influence (MILLER) 593
Chlorine excretion, potassium influence (MILLER) 593
Phosphorus excretion, potassium influence (MILLER) 593
Sodium excretion, potassium influence (MILLER) 593
Fermentation:
α,β-Glucose, new-glucose occurrence in course of (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 83
Fluid:
Synovial, chloride and protein distribution between plasma and (FREMONT-SMITH and DAILEY) 779
Folin-Wu:
Blood analysis, cholesterol, colorimetric estimation (DE TONI) 207
— —, lecithin, colorimetric estimation (DE TONI) 207
Food:
Utilization or digestibility (BERGEIM) 29
Fructose:
Absorption, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577

G

Galactose:
Absorption, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
Gas:
Analysis apparatus, methane determination in metabolism experiments (CARPENTER and FOX) 115
Gastrointestinal tract:
Absorption (BERGEIM) 47
Globulin:
Albumin-globulin fraction, tubercle bacillus (COGHILL) 439
Glucose:
Absorption, glycogen formation in liver of nor-

Glucose—*continued:*
mal and insulinized rats, rate during (CORI) 577
Absorption, sugar oxidation and glycogen formation during, in normal and insulinized rats, relation (CORI and CORI) 557
Diacetone. III (LEVENE and MEYER) 343
Insulin, muscle, *in vitro* (LUNDSGAARD and HOLBØLL) 71
—, solutions, specific rotatory power, muscle tissue *in vitro* (BEARD and JERSEY) 167
Monoacetone, methylated methyl glucosides, prepared from (LEVENE and MEYER) 343
Muscle, insulin, *in vitro* (LUNDSGAARD and HOLBØLL) 71
New-glucose occurrence in course of fermentation of α,β-glucose (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 83
Oxidation, deamination, physiological significance in relation (SPEAKMAN) 135
α, β-Glucose:
New-glucose occurrence in course of fermentation (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 83
Glucoside:
Methylated methyl, monoacetone glucose, prepared from (LEVENE and MEYER) 343
Glutathione:
Normal animals, content (THOMPSON and VOEGTLIN) 793
Tumor animals, content (VOEGTLIN and THOMPSON) 801
Glycogen:
Formation, fructose absorption, rate during, in normal and insulinized rats (CORI) 577
—, galactose absorption, rate during, in normal and insulinized rats (CORI) 577
—, glucose absorption, rate during, in normal and insulinized rats (CORI) 577
—, sugar oxidation, in normal and insulinized rats during glucose absorption, relation (CORI and CORI) 557
Tissue, experimentally induced obesity (FOSTER and BENNINGHOVEN) 285
Glycuronic acid:
Conjugated, depancreatized dog, production (QUICK) 59
Origin in organism (QUICK) 397
Growth:
Potassium requirement (MILLER) 587

H

Hahn:
Protein determination, quantitative method (SEIBERT) 265
Proteose determination, quantitative method (SEIBERT) 265

XUM

Halogen:
Hydroxyl, in secondary alcohols, substitution by (LEVENE and MIKESKA) 355
Heart:
Cardiac aglucones, association of double bond with lactone group (JACOBS, HOFFMANN, and GUSTUS) 1
Heat:
Vitamin B destruction by, hydrogen ion concentration effect on rate (SHERMAN and BURTON) 639
Hemoglobin:
Base bound by, osmotic pressure (AUSTIN, SUNDERMAN, and CAMACK) 427
Osmotic pressure (AUSTIN, SUNDERMAN, and CAMACK) 427
Histidine:
Synthesis (HARROW and SHERWIN) 683
Hydantoic acid:
Metabolism (GAEBLER and KELTCH) 763
Hydantoin:
Metabolism (GAEBLER and KELTCH) 763
Hydrogen:
Ion concentration, cream, colorimetric determination (SHARP and McINERNEY) 729
— —, milk, colorimetric determination (SHARP and McINERNEY) 729
— —, vitamin B destruction upon heating, effect on rate (SHERMAN and BURTON) 639
Hydrogen—*continued:*
Ion concentration, whey, colorimetric determination (SHARP and McINERNEY) 729
Ions, blood, ortho-chrom-T and Duboscq colorimeter, determination (McCLENDON, RUSSELL, and TRACY) 705
—, —, para-nitrophenol and Duboscq colorimeter, determination (McCLENDON, RUSSELL, and TRACY) 705
Hydrolysis:
Corn-starch, by pancreatin (WALTON and DITTMAR) 713
Enzyme, dipeptides (LEVENE, SIMMS, and PFALTZ) 253
—, tripeptides (LEVENE, SIMMS, and PFALTZ) 253
Peptides, rate, chemical structure, relation. III (LEVENE, SIMMS, and PFALTZ) 253
Hydroxyl:
Alcohol, secondary, substitution by halogen (LEVENE and MIKESKA) 355

I

Inorganic:
Substances, nutritive value. I (FAIRHALL) 495
Insulin:
Acetaldehyde formation in animal body (SUPNIEWSKI) 13
Complement, muscles of warm and cold blooded animals (LUNDSGAARD,

Insulin—*continued:*
HOLBØLL, and GOTTSCHALK) 79
Complement, properties (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 89
Constitution, sulfur in cystine, lability, bearing (BRAND and SANDBERG) 381
Fructose absorption, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
Galactose absorption, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
Glucose absorption, glycogen formation in liver of normal and insulinized rats, rate during (CORI) 577
— insulin solutions, specific rotatory power, muscle tissue *in vitro* (BEARD and JERSEY) 167
—, muscle, effect *in vitro* (LUNDSGAARD and HOLBØLL) 71
Glycogen formation and sugar oxidation during glucose absorption, relation in insulinized rats (CORI and CORI) 557
Muscle, glucose, effect *in vitro* (LUNDSGAARD and HOLBØLL) 71
Sugar oxidation and glycogen formation during glucose absorption, relation in insulinized rats (CORI and CORI) 557

Intestine:
Calcium absorption, small and large intestine (BERGEIM) 51
Chemistry. IV (BERGEIM) 29
—. V (BERGEIM) 35
—. VI (BERGEIM) 47
—. VII (BERGEIM) 51
Phosphorus absorption, small and large (BERGEIM) 51

Intoxication:
Mercuric chloride, acute, blood changes (LOONEY) 513

Intravenous:
Xylose, intravenously administered, disposal (CORLEY) 521

In vitro:
Glucose-insulin solutions, muscle tissue, specific rotatory power (BEARD and JERSEY) 167
Insulin and muscle tissue, effect on glucose (LUNDSGAARD and HOLBØLL) 71
Muscle tissue, glucose-insulin solutions, specific rotatory power (BEARD and JERSEY) 167
— — and insulin, effect on glucose (LUNDSGAARD and HOLBØLL) 71

Ion:
Hydrogen, blood, orthochrom-T and Duboscq colorimeter, determination (MCCLENDON, RUSSELL, and TRACY) 705
—, —, para-nitrophenol and Duboscq colorimeter, determination

Ion—*continued:*
(McClendon, Russell, and Tracy) 705
Hydrogen, concentration, cream, colorimetric determination (Sharp and McInerney) 729
—, —, milk, colorimetric determination (Sharp and McInerney) 729
—, —, vitamin B destruction upon heating, effect on rate (Sherman and Burton) 639
—, —, whey, colorimetric determination (Sharp and McInerney) 729
Nucleic acid derivatives, effect of ionization on optical rotation (Levene, Simms, and Bass) 243
Pyrimidine ionization, pyrimidine nucleosides, relation to structure (Levene, Bass, and Simms) 229

Iron:
Anemia, nutritional, relation (Mitchell and Schmidt) 471

K

Ketopiperazine:
Alkali action on (Levene and Pfaltz) 219

Kjeldahl-Gunning:
Nitrogen determinations, amines in distillate (Gortner and Hoffman) 457

L

Lactone:
Cardiac aglucones, association of double bond with lactone group (Jacobs, Hoffmann, and Gustus) 1

Lecithin:
Blood, colorimetric estimation, Folin and Wu system of blood analysis (De Toni) 207

Lipoid:
Corpus luteum, ether extract (Hart and Heyl) 663

Liver:
Amylase, blood sugar regulation, rôle (Davenport) 625
Glycogen formation, fructose absorption, rate during, in normal and insulinized rats (Cori) 577
— —, galactose absorption, rate during, in normal and insulinized rats (Cori) 577
— —, glucose absorption, rate during, in normal and insulinized rats (Cori) 577

M

Maintenance:
Potassium requirement (Miller) 587

Mercaptan:
Oxidation to corresponding sulfonic acids (Levene and Mikeska) 365

XUM

Mercuric chloride:
Poisoning, acute, blood changes (LOONEY) 513

Metabolism:
Calcium, reference to normal zinc metabolism (FAIRHALL) 495
Carbohydrate. IX (LUNDSGAARD and HOLBØLL) 71
—. X (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 79
—. XI (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 83
—. XII (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 89
Gas analysis apparatus for methane determination in metabolism experiments (CARPENTER and FOX) 115
Hydantoic acids (GAEBLER and KELTCH) 763
Hydantoins (GAEBLER and KELTCH) 763
Nitrogen, chick embryo (FISKE and BOYDEN) 535
Pentose. I (CORLEY) 521
Zinc, normal, reference to calcium metabolism (FAIRHALL) 495

Methane:
Determination, gas analysis apparatus, metabolism experiments (CARPENTER and FOX) 115

Methyl glucoside:
Methylated, monoacetone glucose, prepared from (LEVENE and MEYER) 343

Methyl glucoside—*continued:*
(LEVENE and MEYER) 343

Milk:
Hydrogen ion concentration, colorimetric determination (SHARP and MCINERNEY) 729
Phosphorus content, human and cow (LENSTRUP) 193

Molecule:
Clostridium thermocellum, end-products, molecular complexity, effect (PETERSON, FRED, and MARTEN) 309

Monoacetone glucose:
Methyl glucosides, methylated, prepared from (LEVENE and MEYER) 343

Muscle:
Glucose, insulin, effect *in vitro* (LUNDSGAARD and HOLBØLL) 71
— — solutions, specific rotatory power, *in vitro* (BEARD and JERSEY) 167
Insulin complement, warm and cold blooded animals (LUNDSGAARD, HOLBØLL, and GOTTSCHALK) 79
—, glucose, effect *in vitro* (LUNDSGAARD and HOLBØLL) 71
— — solutions, specific rotatory power, *in vitro* (BEARD and JERSEY) 167

N

Nitrogen:
Cauliflower bud. I (MCKEE and SMITH) 273

Nitrogen—*continued:*
Kjeldahl-Gunning determination, amines in distillate (GORTNER and HOFFMAN) 457
Metabolism, chick embryo (FISKE and BOYDEN) 535
Non-protein, blood filtrates, sodium oleate addition to whole blood, effect (ROSENTHAL) 129
Sardinia cærulea, distribution (DUNN) 697
Nucleic acid:
Derivatives, ionization effect on optical rotation (LEVENE, SIMMS, and BASS) 243
Structure determined by electrometric titration data (LEVENE and SIMMS) 327
Nucleoside:
Pyrimidine, pyrimidine ionization, relation to structure (LEVENE, BASS, and SIMMS) 229
Nutrition:
Inorganic substances, nutritive value. I (FAIRHALL) 495
Iron, relation to nutritional anemia (MITCHELL and SCHMIDT) 471
Potassium. IV (MILLER) 587
—. V (MILLER) 593

O

Obesity:
Fat content of tissues (FOSTER and BENNINGHOVEN) 285
Obesity—*continued:*
Glycogen content of tissues (FOSTER and BENNINGHOVEN) 285
Oil:
See Cod liver oil.
Optical rotation:
Nucleic acid derivatives, ionization, effect (LEVENE, SIMMS, and BASS) 243
Specific, glucose-insulin solutions in contact with muscle tissue *in vitro* (BEARD and JERSEY) 167
Organism:
Glycuronic acid, origin (QUICK) 397
Ortho-chrom-T:
Duboscq colorimeter and, hydrogen ions in blood, determination (MCCLENDON, RUSSELL, and TRACY) 705
Osmosis:
Base bound by hemoglobin and hemoglobin osmotic pressure (AUSTIN, SUNDERMAN, and CAMACK) 427
Cells and serum, Donnan equilibrium and osmotic pressure, relationship between (WU) 203
Hemoglobin and base bound by hemoglobin, osmotic pressure (AUSTIN, SUNDERMAN, and CAMACK) 427
Oxidation:
Glucose, deamination, physiological significance in relation (SPEAKMAN) 135

XUM

Oxidation—*continued:*
Mercaptans, to corresponding sulfonic acids (LEVENE and MIKESKA) 365
Sugar, glycogen formation in normal and insulinized rats during glucose absorption, relation (CORI and CORI) 557
Thio acids, to corresponding sulfonic acids (LEVENE and MIKESKA) 365
See also Peroxidation.

P

Pancreatectomy:
Glycuronic acids, depancreatized dogs, production (QUICK) 59
Pancreatin:
Corn-starch, hydrolysis (WALTON and DITTMAR) 713
Para-nitrophenol:
Duboscq colorimeter and, hydrogen ions in blood, determination (MCCLENDON, RUSSELL, and TRACY) 705
Pentose:
Metabolism. I (CORLEY) 521
Peptide:
Alkali action on (LEVENE and PFALTZ) 219
Hydrolysis, rate, chemical structure, relation. III (LEVENE, SIMMS, and PFALTZ) 253
Peroxidation:
Antirachitic vitamin, relation (YODER) 297
Phlorhizin:
γ-Amino butyric acid, phlorhizinized dog, fate (CORLEY) 99
δ-Amino valeric acid, phlorhizinized dog, fate (CORLEY) 99
Phosphorus:
Absorption, and carbohydrates (BERGEIM) 35
—, small and large intestine (BERGEIM) 51
Fecal and urinary excretion, potassium influence (MILLER) 593
Milk, human and cow (LENSTRUP) 193
Urinary and fecal excretion, potassium influence (MILLER) 593
Phytosterol:
Irradiation, antirachitic value. VI (HESS, WEINSTOCK, and SHERMAN) 123
Plasma:
Chloride and protein distribution between synovial fluid and (FREMONT-SMITH and DAILEY) 779
Pneumococcus:
Soluble specific substance. IV (HEIDELBERGER and GOEBEL) 613
Specific polysaccharide, Type III (HEIDELBERGER and GOEBEL) 613
Poisoning:
See Intoxication.

XUM

Polysaccharide:
Specific, pneumococcus, Type III (HEIDELBERGER and GOEBEL) 613

Potassium:
Calcium excretion, urine and feces, influence (MILLER) 593
Chlorine excretion, urine and feces, influence (MILLER) 593
Growth, requirement (MILLER) 587
Maintenance, requirement (MILLER) 587
Nutrition. IV (MILLER) 587
—. V (MILLER) 593
Phosphorus excretion, urine and feces, influence (MILLER) 593
Sodium excretion, urine and feces, influence (MILLER) 593

Protamine:
Sardinia cærulea, amino acid percentage (DUNN) 697

Protein:
Adsorbed substances, liberation. II (ROSENTHAL) 129
Alkali-soluble, tubercle bacillus (COGHILL) 449
Basic. I (DUNN) 697
Cauliflower bud (McKEE and SMITH) 273
Hahn quantitative method (SEIBERT) 265
Plasma and synovial fluid, distribution of chloride and (FREMONT-SMITH and DAILEY) 779

Protein—*continued:*
Tubercle bacillus, alkali-soluble (COGHILL) 449

Proteose:
Hahn quantitative method (SEIBERT) 265

Pyrimidine:
Ionization, pyrimidine nucleosides, relation to structure (LEVENE, BASS, and SIMMS) 229
Nucleosides, pyrimidine ionization, relation to structure (LEVENE, BASS, and SIMMS) 229

R

Rabbit:
Alcaptonuria (LEWIS) 659

Racemization:
IV (LEVENE and PFALTZ) 219

Rickets:
XXVII (McCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 437
Antirachitic vitamin, peroxidation, relation (YODER) 297
Cholesterol, irradiated, antirachitic value. VI (HESS, WEINSTOCK, and SHERMAN) 123
Vitamin D, butter fat, variation in content, rickets, factor (McCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 437

S

Salt(s):
Ephedrine, preparation and properties (CHOU) 109

Sardine:
See Sardinia cærulea.
Sardinia cærulea:
Amino acids in protamine, percentages (Dunn) 679
Serum:
Cells and, Donnan equilibrium and osmotic pressure, relationship between (Wu) 203
Sodium:
Corn ration, deficiency (Miller) 759
Fecal and urinary excretion, potassium influence (Miller) 593
Urinary and fecal excretion, potassium influence (Miller) 593
Sodium oleate:
Nitrogen, non-protein, in blood filtrates, addition to whole blood, effect (Rosenthal) 129
Specificity:
Pneumococcus, soluble specific substance. IV (Heidelberger and Goebel) 613
Polysaccharide, specific, pneumococcus, Type III (Heidelberger and Goebel) 613
Sugar:
Animal body, fate. II (Cori and Cori) 557
— —, —. III (Cori) 577
Blood (Folin and Svedberg) 405
—, and ammonia (Horvath) 289
—, liver amylase, rôle in regulation (Davenport) 625
Sugar—*continued:*
Determination (Somogyi) 599
Oxidation, glycogen formation in normal and insulinized rats during glucose absorption, relation (Cori and Cori) 557
Urine (Folin and Svedberg) 405
Sulfonic acid(s):
Oxidation of mercaptans to corresponding (Levene and Mikeska) 365
— — thio acids to corresponding (Levene and Mikeska) 365
Sulfur:
Cystine derivatives, lability, insulin constitution, bearing (Brand and Sandberg) 381
Synovial fluid:
See Fluid.

T

Thio acids:
Oxidation to corresponding sulfonic acids (Levene and Mikeska) 365
Thyroparathyroidectomy:
Cod liver oil administration, effect (Jones) 647
Tissue:
Fat content, experimentally induced obesity (Foster and Benninghoven) 285
Glycogen content, experimentally induced obesity (Foster and Benninghoven) 285

XUM

Titration:
Electrometric, data, graphical interpretation by comparison curves (SIMMS and LEVENE) 319
—, —, nucleic acid structure determination (LEVENE and SIMMS) 327
Tripeptide:
Hydrolysis, enzyme (LEVENE, SIMMS, and PFALTZ) 253
Tubercle:
Bacillus, albumin-globulin fraction (COGHILL) 439
—, alkali-soluble protein (COGHILL) 449
Tumor:
Animals, glutathione content (VOEGTLIN and THOMPSON) 801

U

Urea:
-urease system, cyanic acid, significance (FEARON) 785
Urease:
Recrystallization (SUMNER) 97
Urea-urease system, cyanic acid, significance (FEARON) 785
Urine:
Acetone bodies, colorimetric determination (BEHRE and BENEDICT) 487
Allantoin, determination, (CHRISTMAN) 173
Calcium excretion, potassium influence (MILLER) 593
Urine—*continued:*
Chlorine excretion, potassium influence (MILLER) 593
Phosphorus excretion, potassium influence (MILLER) 593
Sodium excretion, potassium influence (MILLER) 593
Sugar (FOLIN and SVEDBERG) 405

V

Vitamin(s):
Antirachitic, peroxidation, relation (YODER) 297
B, destruction upon heating, hydrogen ion concentration, effect on rate (SHERMAN and BURTON) 639
D, butter fat, variation of content, rickets, factor (MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 437

W

Whey:
Hydrogen ion concentration, colorimetric determination (SHARP and MCINERNEY) 729

X

Xylose:
Intravenously administered, disposal (CORLEY) 521

Z

Zinc:
Metabolism, normal, reference to calcium metabolism (FAIRHALL) 495

B-> col

XUM